

Ji 2 7398 F 38 Nepatric diseases & Disorders.





of fre en it ae be cri of the

of a transient nature when it arises from the former and is commonly removed by depleting medicines. When it follows hypetitis it arises from the neglet of Depletion. But it bountimes Decurs en the brest Indies from the fuble, but protructed operation of heat, and minsmata without being preceded. erther by yellow fever or inflammation. of the liver. The blood wefsels are unable in this case to writ the tones of inplani. but descend directly below-dises down to disorder without through the Stage of Diocase. 2 It is sometimes brought on by Jeso: = John la. 3 It is a frequent Consequence of the

Lu V But This pullid Countersance does -21 not take place in this discuse from Other Causes. On the Courtnury-Theface 4 generally aprimes not a yellow, but do lo " ti dallow or blive Colon.f

Labritual lese of ardent Spirits. Immhards after exhibiting no or yellow faces for a munder of years, Often burne pall. This is the effect of the total Stoppale of the Suretion and exerctions of bile. It is give: rally a forememen of death. It masks the his worst grade of intempresame in white does the highest grade of heat. This left the looks and feel like dry flesh. It is in the The brain is in Jatuity. It had sometimes hun called liver it is called M i Hepitalzia. Et is Alternow with some pain; and bohen enlarged, with a difficulty En lying up an the left dide. It Sometimes without any pain, but more commonly it brings on a fatal ascites,

de we a W 74 reg

for the lymphatis being munerous in this the liver, the Streams oflymph which usually this it are naturally diverted into the abdowners. Where it does not produce Assistes, it brings on atrophy, and marasmus that is, w waste of the body without fiver. It Jametimes ends in a fatal homombage known by the trame of Inclina. The Remedies for this disorder are I a large Carestie applied to the external region of the him. It I have once teen the liver recupitated by this runedy & an ineignment dropping of the belly thereby of Bristol ofsered me be the teen it ened by the lese of this remedy. 3 Frietions & thimulating applications

90 in h w 6 y

to the region of the liver. 4 Calonel in small dones continued for moultes & years. I think I have done good by this medicine used in this way 5 Chary bester and betters and aroundies. in Ugrilalgia. They art Jegenpalhetically upon the hier and they impount a vigor to the whole tystern which is felt by the hier. 6 Long journies pessisted in once a year for toon there or four years have Journtimes and this discuse. I dethicate I have ones prome it removed by a change of thinate. I thall dismips this disorder of The liver by remarking that it fre-=quently exists in a portron of the

. . **\*** 1. 47

hver only, and in these cases is Aften combined with some one of The discuses of the liver which have bun describéed. The Granes of this disorder are to mission. It Jans dice. and the external Impace of the body, but most bloriously in the eyes-languer, depression of spirits, wrtive - rep - non and then diamonde - White Stools - itating of the Shire - a slow finis but more commonly a natural pulse, with a natural temperature of the / him. bustinenels is said to Deurs most Juguently in young people. It is said to be les commen en en ell prople, 4 very: rare in drumkender.

le for Pt =1 12  $f^{r_{\alpha}}$ 4

Its Carross are transient & Chronic. The framer are I approve report the formour dout, 2 bilions & intermitting
former - bene ine formetimes observation, to apopure as an epidemie. Whenit does, it is as a tymptom only of those autim = nal discases. 3 Fran 4 anger 5 prepure from Contiguous parts particularly


from the Colon When Disting to with Sous, and the Uterus in megnany. The Chronic Causes are 1 viscid bill, und Jule Stories obstructing the agstri or lamanon duct. 2 a tumor or Jehrines in wither of those ducts, or 3 De gnousse mentions à Case of Janudie in the panereas. from the common duct becoming in = = perviours pour discuse.

4 Jan . . . . ------


4 matters in the modernm particularly Congulated milk obstructing the papage of bile into it. Take notice your Homen, the blists withou in the two last tomes that have been mentioned is only in the low. = mon dut. Demonroe informs res That he are down the Cystic but to completely closed by two gall flores that no air loud pap thro it, & get the patient died without faundie.

De Ru therfood saw a dinni lar the of


Inundice favor and best withing the Cystic Inet was obstructed by a gall Stone as large as a nutrony. When a Sourrie occus with a complete Obstruction of this duct, it is sup: -posid the Historicating matter com: = municates imprepions from the




Insible typical duet, to the exquisitely sensible termination of the Common Just in the drodenum which is thouby Contricted, and thus hepatic bile is retained, and afternands absorbed, or conveyed by regerzed where into the blood. There is in this trans care are error Sensus and mothers. 5 Destell has given no are Arment of three cases of fatal jammine in which on obstruction of may kind was disco. = wered either in the Cystic, or Common duct. The Obstruction was probably from a torrie Spason upon the dutte Eigstie Just only the nomins hund of




the body goes on as usuali There have been many trisputer Whether wile can exist in the blood. Dr Roebrech a gradreate in this Univer - 2ity has clearly proved that it does in this disorder, by a arrive less of 2 atrofactory experiencents. There have lihenvise hum Fispetes among /sather - Engists whether the brile be conveyed into the blood in a jaundice by ab: - sorption or regurgitation. It is most probable it enters the blood in both ways. The black journdie sums to be produced by the absorption of bits under black bill from the god bladder. De furith supposes the blackness of the Africans to be Duin a originally from this Cause.




I have been the Erlow of this face of a grunish Cast in Iweral instances of james in. I have don't of its being deriva from the absorption of your bile. for the gatt bladder. Persons of all ages are Indigent to the Jaundies. It occurs in nur bonn infants. It altachs the two Jexes nearly alike. Of 100 patients whom De Illes - bester attended in a given time in this disorder 52 were men It 48 hr= Objuts are seldem colonier in the ege by this disorder, owing to the bile tinging the turica atom longimetria only, and not the hume ors of the eye, now is the Color of the tongue, non the state of the Jalina - wor the genelity of the with generally affected by the



which circulates with the below. milk and bysters have their natural toste, but there are certain shirments and Drinks Whill impact a fensation of bitter to the tongue. There is something entrades pendias in the artion of the bile upour different parts of the body. while several of the flinds, and Jame of the Tolis parts of the body recire mosters Color from it, Car. = hilages and bonco are some times ting id by this De Stall mentions an instance which came under his own deservation. The Remodies for Januarice thousand be regulated by its Symptoms & Causes. If the partse be full or terroe, it will be preparto begin the cure by




I Blood betting. The disorder in this flate of the puebe is always anough ? = mid with more or less discose in the liver. I have veressionally bled in this State communition of disorder with dis-= case with Lineup one in 1803, and you in 1809 in the Pennsy & hospital, but I have as often home as comployed this comedy willout affect. anthors gene:
-rally consider a Jones in with fores as a most alarming hympstone. It is to probably thirty from the night of early and Juffriciant bleeding. If the Januaries arise from a Spann upon the Common duet, the unities thould be wann bath, 2 opriates, Euratrices, the and afternands tonies.




If it wise from the prepure of the Colon distanded with fuces, they? Thruld be semued by 3 Purges. If it arise from the prepure of the pregnant Werres up = -wards, it thruld be seenowed by De. : prefing the Uterro by means of a bandage. Hit arise from viscis bile it should be removed, 5 by emeties - pruges - mineral
bates - loop seriese, and mercury.

Waters - loop seriese, and mercury.

There said it arisis
That forms from July flowers. The unidies for them thall be mentioned under our nout but. The Jollowing comparied presentation. has been formed useful in the Cure of larendies to Ets efficiency is probably to confined chiefly to those cases in.




which Obstructions from Viscio bile have existed in the cystic and common ducts. Potash and gume arabie of each zep lastile toup zi Brandy thi. Inom a half to a whole. wine glass full of this andriver is usually taken three times aday. The Remedies for the sesmonal of Gallftones, which I have said is One of the Causes of Januarine that head. III. There is a disorder in the liver nearly allied to Januarie, but not auompanied with apellowness of the Skin. It consists in a pretermational man stagestion of vile in the gallbladder. And Atogora firm a torpor in its fribres. I have talter The stools are quest after taking a to a purge




When they are of a dark Color. I have called it Costiveness of the liver. I Its remedies are active purçes, mer. - enry and exercise. JV. Gall Stones come next in order Under om notaie. They are formed from the bill, and Differ from cach other in the following pacticulars.


1 der sire, lung sortanger there a small. pea, up to a small egg: 2 ha figure being rough, angular, or highly polished from this friction upon cach other Inflywith has in population two or there Stones of the latter kind taken from the fall bladder of motheller the gentleman Case was mentioned to in Speaking of the Scention of brutes by the biver. 3 In munder being from the to : 14. That immense mun ber of fall stones Dr



Thattruck titles us more found in the gall. - Hadder of a presson dispetted by Depresentt a of apollow in mapachulouts. 4 In wight - from five gravies to 3i3925 and three grains. a Gall Stone of the latter. wight is mentioned by Ithsom in The first bolume of the memoirs of the metical foriety of London. 5 for Consistence. They are of the Consistence. of tallow, and some times nearly as solid no stone.



8. 6 They differ in this town process which form pore them. Thourson has mentioned of for an amount of which I refer you to put Chemical books and to the Pro-= feprom of Chemistry. \_\_ que of the Speries of them is inflammable. This of = discovered by an expressment more uponte gall flowe taken out of the him of a woman hoho died in our hospital when I was a thident of endiume.




These galls, were times his for years in the gall blackder without giving any puin. a Stone that weight by was fruit in The Gall bladder of the Earls of Bath, & yether mer uns discurd from it. Six gall flows mere formed in the Jule Hadker of the unforbunate am Robinson, Syst the did of when had any of the hympetoins whichting ind me in the liver or flownsch. The died of a skydnothreat. a gall flowe of hisigin grig was found in the liver of Lord Walpole, and yet his aparthactry who attended him ; for 40 years said he had ever bone were Similar Chose which have been fall enentroned are probably rare. They are Often attended with great pain formations en exquisite as to cause friend the eries officiel. That are heard thro



n Whole veryle bornshowd. Unterthe paintinces worder at the autiniful. Wir prim between we eifteet reprosent This pain is aussioned by the propage of a street from the yall bludder to the bowds, or by its ftoppose in its progress bothem. We need not wonder at the intensity of the pain when we reflect upon the Sire of the Just this which the flower who have with the line of the Gall flying with how him feet of the pain is falled this it. The Least of the pain is falled the sain is falled Ite joil of the Hornel, from where it your this the region of the liver. and upopur bowels. It lasts for with forme inter als & with some Deminstron in degree from three days to a monthe. Chills attend this pain, but wither fiver ever fato en creased frequency, or Juliup Wi Such as are mores in a forming flate of the disease induced by them.

approaching attack of this discuss are light pain - Continues blutalency - And appllow.
-tarbid water. In this Clate of y discuse break repeated losses of Lowdenser. - ab:
- limene - a gentle parge
- went the formation of a parrayone.

or tinsion of the pulse. a yellnough of the thin generally attends cack passes: =your of the discuse. In some pressours a lallowner of the face of is a Constant Lympton of the presume of full tones in the Gall bludder. \_ It Town the enjopered aksence of emiscular fibes in the Cystic duct, and the mall sheper of Sunsibility properties but by the it, and the Ductus Comemnio, the pain is said mun defound upon the Stone meping, and our. distanding the Duodenum at the place where it is connected with the Common duct. Un Remedies He for gall thomes divide them into the Clups 2 hele as the discare of 3 huchare proper to anne te Chrise. + It The Remedies for a puronym of the



disease thouas be I wil to the Ishow the when the pulse does not indicate it, but its before pain is enquisite, it lipus, it, and prepuns the Jo way for large dones of & Landamenn by the ensette and by way of hijution. 3 The Warm 13 att, 4 mm this to the extremities, and 5 to Blister to the Gide, or joit of the ftomuch. after the pain is substreed, 6 opening andrienes consisting of purges oughysters. III. The Rundies proper to remove Discharg galls Chomes have been disided into Thenrical be mechanical. The former are easo to alkaline latto - lime water, Soup - a misture of Other and Spirit of timentine - the yolk of an ess & Other anised together - Lima price - be The Inice of the Dandelyon - that is

The late In Linemens an thought highly of this dimple mediume. It was our of his proceintions for Frederich the It king of Prinfish for a troppy but on by an Obstructed hiver. He presented the extract of this marking plant as well as its juice, and that to the amount he letts Ils of are hundred pounds a It is jnobuble all the medicines that have heen mentioned art differently anording to the nature, or comproment parts of the gall stones.

44,\$.

the Taraxicum of Linners. There are respectable Vouchers for the efficiency wo of all the emerienes I have mentioned. 12 In favor of the Dandelyon , I can speak (Q) from eny own experience. I was led to use it with the more Confidence from having unt read in Cheselow; anatomy that been When killed in the Winter discover biliary Concretions in the liver, but never after thoughour for for two or three months
upour they fraing grapes its the for
fort confirmed by Little this city.


The confirmed by Little these emplicanes art I what morning these your of thoughten dispolar

know not - It is cut aim they dispolar


have not - It is cut aim they dispolar The gall Stones out of the Loty? but it is difficult to concince how they can be conveyed in aftate en concentrated or , en such a greately to act report the Gall: even so delited as to act report the Gall:

V D' Dunvin & Drawot Wall home problished each a Cure performed big this remety.


25 90 The remedies which art muchannically in ennoving gall Homes are 1 Horas Emeties fuguently repeated
2 Active purses. 3 copious Daintes of warm It Slubirity & I Exercise experially on homeback. & a temperate diet was isting Chifty of Vigetables. The attractive Use of Calomel. With this remedy given in much dones as not to affect the month, I am sure I have done c'envill. & a fabroation though be resorted to, when the Culomet does not meces in alterative dones. De Gibbons tells us in the annals of medicine, that he see removed gulla Stones from 12 persons out of 13 by this Costivenes thrula be carefully promited umedy. -(D) by lenient purges.




V. The book disorder of the liver that I Woode was mentioned is Surphula. It may be known by occurring in Schoque loves habits. The remedies for it parts of the body, all of which though be envinerated in their moper place. I have Due sun the Whole liver affected withit, Whose whole hystem was more or life affect - to with the same disorder VI. The Schines is Sometimes the effect. of previous inflammation, but it is often the product of impreprious too feeble to manifest themselves in discuse or pain. It in bir a Upitalgia may be consisted to the flup of the liver, this may be considered as to death. It is rarely recrepitated.



will hor be huspined at this when you redlect how little meticine has ever been able to ausmphish in Schmie cum where we are able to ap; : July our remedies in wateret with Thint - The Knife is generally the only Curo VIII. Worms cometimes primar tiggethe
The liver in which they possess to the cause & effect of disease, and disorder. Defrost tays he has often fruit worms: in the trues of persons who have hier of the hepatic flate of fever. There is a umarhable case of disorder beteath indues by a large worm in the him of a mon Holt of this city estated by Dr. Thomas Bond in one of the Volumes




of the London medical inquiries and Observations. In the mouth of Aug 1811 I bost a palient in with hympstories of Januarie & Hypothilis. The morning after her death, a large number of mall worms were seen encepsing out of her moulto. They probably came from her liver where they probably were the land, or effect of her discere. It is the book entrabite difficult to Iteel the presence of hmall worms in the liver. The presence of the large his. -gle tvoven formed in the lives ofms. Holt was known by what the word to well a "quirkling fensation". It is popible large dones of Calonel might dislodge them, but I can say nothing in its favor from my over experience.



Dif utions cabilit the following opposition: - us after dælle formette discuses de hisorders After aut & Chronic inflummation, the nevel marks of inflame: - atherion of the liver to the disphragm, and of the disphragm tothe lungs - a large Absulp filled with Ins & somitimes with bile & blood -, and a Communication between this about and the parts into which it usually Discharges itself which have been men: -timed - great angestion of blood in the hiver- great enlargement of the hiven Jeven blood on water - with It without by Hypilatsia,
-tids, - Schini partial & general; in the latter that the hier cultinged in one in - Hame as to weigh 27 pounds; - Winericked fire of the liver of home sun an instrus of this in our hospital. Then was a

V called by mr. Hunter instabilital ale. = Josphins. \_\_ the liver in this case re. - ner bles an borner wanty honey Comb.

much of a formier about upon it - an Absorphores of the Intestances of the him & Inherelis - and Singshulous tumous upon We. Its hiver - The Couts of the gall bladder e. Schimous and borry - a Dilutation of the Lystie Eystie and Emmons Justo to an inch in diumeter - gall itomes of all the Shepers, and in all the enverters that have the which the her envertioned - garageers. I have small and have of grudiums. Dr. that is best one in books of grudiums. In the same that is a first one in the same i Bailie says he suredan an instance of it. Perhaps a longestion of blood was I have thus gentleinen fran a mislahen for it. Large maps of imprinical subbish and from 2mg one Observations delivered to you un epitome of all the discusses I'Disorders of the liver; hul you must not expet to find them in the experate and histority tates in



which I have described them. In no tro: - cars do discuses and disorders anastrinose (I) I may be allowed the expression) more Than in the liver. They are blended; they Tuesde cach other, they alternate with cach Offer - and they Juntirally produce cach Other. Watch these Changes namowly. It Songet the hypatri moderly - attend to Symptomo particularly to the puble, attend to the absence of all its ensures Taket Symptoms - that is to its Dumb Jonen - and prescribe for the state of the Tystens thould it vary a toren times a I shall dismip the hely'ut of the Dio: a remark of the illustrions De Boerhaave, and Word is that the liver is kines and

for V forpret it too be dinewas ordinated ias a more responsat months with the work and brought and beautiful from whener 20 he scently Imiles at our abortive efforts to come the discuses induced by it in the Stamuel Atterpracts of the body padicularly in the head, the Stomach, the bounds, the kidneys, the muscles & The Skin by Directing over numedies wholly to those parts of the body.

hullh or to brown in 99 out of an lot ist all throwing discuses. If how much in = - portance present be it they appear discove functions and Derangements whether in discove this is the more muly as on disorder. This is the more muly as its discuses and disorders are enumerous, and Diffrod this out the whole Lyslim, but often buarese they are often shis is someth the case that

now teristic hymptons . haded the liver andy

be considered as the masked battery of math, h The books were the strate and disorders are Jaunders and take Leake both of which are in our ospital library.

